

COMMONWEALTH OF VIRGINIA  
DIVISION OF PURCHASES AND SUPPLY  
805 E. BROAD STREET, P. O. BOX 1199  
RICHMOND, VIRGINIA 23218-1199


Notice of Contract Award

1. DATE	March 11,2004
2. COMMODITY NAME	School Buses
3. CONTRACT NUMBER	8010-40
4. CONTRACT PERIOD	March 11, 2004 through November 15, 2004
5. SUPERSEDES	8000-40
6. AUTHORIZED USERS	State Agencies and Other Public Bodies
7. CONTRACTORS' FEIN NUMBER	See attached
8. CONTRACTOR	See attached
9. CONTRACTORS' PHONE NUMBER	See attached
10. TERMS	Net 30
11. DELIVERY	See attached
12. F.O.B	See Attached
13. PRICES AND OPTIONS	See Attached
14. FOR CONTRACT INFORMATION CONTACT:	M. Kim Hatala Phone (804) 786-3854 E-mail: <a href="mailto:khatala@dgs.state.va.us">khatala@dgs.state.va.us</a>

15. ADDITIONAL COPIES OF CONTRACTS AND ANY ASSOCIATED CONTRACT CHANGES MAY BE VIEWED AND PRINTED AT THE DPS WEBSITE: [www.dgs.state.va.us/dps](http://www.dgs.state.va.us/dps)

16. NOTICE TO ALL STATE AGENCIES: This contract is the result of a competitive solicitation and its use is mandatory for all State Agencies (unless otherwise indicated in item 6 above) in the purchase of any commodity listed herein. If the commodity or services available under this contract cannot be used by an agency, a request to purchase other goods or services of a similar nature shall be submitted to the appropriate DGS/DPS contract/purchase officer for approval. A complete and factual written justification is necessary to support the request. Refer to Section 13.7a of the Agency Procurement and Surplus Property Manual.

17. **Note:** This public body does not discriminate against faith-based organizations in accordance with the *Code of Virginia*, § § 2.2-4343.1 or against a bidder or offeror because of race, religion, color, sex, national origin, age, disability, or any other basis prohibited by state law relating to discrimination in employment.

By:   
Gary D. Johnson, Contract Compliance Officer

**NOTICE OF CONTRACT CHANGE**

DATE: September 15, 2004

CONTRACT NO. 8010-40

COMMODITY: School Buses

AUTHORIZED USERS: State Agencies & Public Bodies

ITEMS: See Below

CHANGE NO.:3

EFFECTIVE: Immediately

THE FOLLOWING PRICES, TERMS, AND/OR CONDITIONS ARE HEREBY  
CHANGED AS OF THE ABOVE STATED EFFECTIVE DATE.

The following changes have been made.

This contract is hereby extended for a period not to exceed 60 days. All pricing remains firm except that there will be an upcharge of \$800.00 per bus on all handicapped buses (buses with lift) ordered from Kingmor Supply.

By: \_\_\_\_\_

  
Gary D. Johnson  
Contract Compliance Officer  
804-786-1602

**NOTICE OF CONTRACT CHANGE**

DATE: April 30, 2004

CONTRACT NO. 8010-40

COMMODITY: School Buses

AUTHORIZED USERS: State Agencies & Public Bodies

ITEMS: See Below

CHANGE NO.: 2

EFFECTIVE: Immediately

THE FOLLOWING PRICES, TERMS, AND/OR CONDITIONS ARE HEREBY  
CHANGED AS OF THE ABOVE STATED EFFECTIVE DATE.

The following changes have been made.

Thomas Buses ordered with the MBE 904 engine will be delivered with the MBE 924 engine. Horsepower rating remains the same as for the MBE 904.

By: \_\_\_\_\_

  
Gary D. Johnson  
Contract Compliance Officer  
804-786 -1602

Change Order #1 is incorporated into this document. The pricing schedule still ☐  
reflects the MBE 904 as an optional engine. Ordering the MBE 904 will result in ☐  
your bus being built with the MBE 924.

## **INSTRUCTIONS**

1. Purchase orders will be submitted to the contractor via the Commonwealth of Virginia's electronic procurement system, also known as eVA. The orders will be governed by this agreement and the terms and conditions contained in the separate agreement for participation in eVA executed by the contractor. If this contract is authorized for use by localities, Virginia cities, counties, town and political subdivisions may use this contract only if the orders are placed through eVa.
2. Inspection on delivery and approval of vendor's invoice is the responsibility of receiving state agency, Virginia city, county, town or political subdivision.
3. Any complaint as to quality, faulty or delinquent delivery, or violation of contract provisions by contractor shall be reported to the Division of Purchases and Supply for handling with the contractor. Preprinted forms (DGS-41-024), by which to facilitate the notification of the contractor and this office of complaints, are available from the Division of Purchases and Supply (786-8873).
4. Renewals. **Four (4)**, one year renewals remain. The decision as to whether to exercise the next renewal option will be made by the contract officer approximately four to six months in advance of the expiration date of the current term.

CONTRACT NO. 8010-40  
March 11, 2004 – September 15, 2004

VENDOR ORDER ADDRESS LIST

<u>FIN</u>	<u>NAME/ADDRESS/CONTACT PERSON</u>	<u>TELEPHONE</u>
54-0806176	Sonny Merryman, Inc. P. O. Box 495 Rustburg, VA 24588 Contact: Floyd W. Merryman, III Fax: (434) 821-8203 Email: <a href="mailto:floyd@sonnymerryman.com">floyd@sonnymerryman.com</a>	(434) 821-1000
54-1439120	Kingmor Supply, Inc. 3400 Cross Keys Road Harrisonburg, VA 22801 Contact: Floyd Morris Fax: (540) 433-0099 Email: <a href="mailto:Floyd@kingmorsupply.com">Floyd@kingmorsupply.com</a>	(800) 782-4474
54-0481876	Virginia Truck Center, Inc./Commonwealth Bus Service 267 Lee Highway P. O. Box 7178 Roanoke, VA 24019 Contact: Claude Reid or Pete Minton Fax: (540) 777-5662 Email: <a href="mailto:pminton@VirginiaTruckCenter.com">pminton@VirginiaTruckCenter.com</a> or <a href="mailto:cereid@VirginiaTruckCenter.com">cereid@VirginiaTruckCenter.com</a>	(540) 777-7757

## **CONTRACT HIGHLIGHTS**

- **Volume Pricing.** This contract allows localities to combine their requirements with other localities to achieve great volume discounts. The discounts are based on the total number of buses ordered at one time and can be of mixed size and type.
- **Trade-Ins.** Trade-ins are allowed on a one for one basis subject to locality rules.
- **Option Discounts.** Option discounts are offered for any non-listed options.
- **Labor & Parts.** Labor rates and a parts discount from list price are offered.
- **Bluebird.** The C34 is offered only on the International 3300 chassis. All other Type C Bluebird buses are offered on the Vision Chassis.
- **Thomas.** The upgrade option for the C2 bus does not take effect until this bus has successfully completed a pilot program approved by the Department of Education.
- **Pricing.** The pricing for the buses and related options, etc are listed in a separate document called the "pricing schedule".

# NOTICE

These Specifications define certain, but not all, components required on school bus chassis purchased by public school divisions. The requirements for chassis are contained in *Regulations Governing Pupil Transportation Including Minimum Standards for School Buses in Virginia*. Copies of the regulations and standards can be reviewed at the chassis manufacturer's zone/ district office or at the office of the local superintendent of schools.

Any variation from the specifications, in the form of additional equipment or changes in style of equipment, without prior approval of the Pupil Transportation Service, Department of Education, is prohibited.

The responsibility for compliance with these school bus specifications rests with dealers and manufacturers. If any dealers or manufacturers sell school bus vehicles that do not conform to any or all of these specifications, a general notice will be sent to all school divisions advising that equipment supplied by such dealer or manufacturer will be disapproved for school transportation until further notice. A copy of notice will be sent to the dealer or manufacturer and will remain in effect until full compliance by the dealer or manufacturer is assured.

New vehicle preparation must be performed by dealer prior to delivery and includes in bid the cost of usual pre-delivery inspections.

**TAXES:** No Federal Tax is to be included in bid, including tires. Tax Exemption Registration number will be furnished.

**LICENSE:** Thirty day license tags shall be furnished with the vehicle.

**TITLE PAPERS:** All papers for titling purposes shall be delivered with the vehicle.

**ORDERING:** All orders will be placed to the vendor using eVA or eVALite.

**INVOICING:** When two or more entities combine requirements on a single purchase order, separate Invoices shall be prepared for each entity.

## **DELIVERY:**

**IC:** 90 – 120 days ARO

**Thomas:** 120 – 150 days ARO

**Bluebird:** 120 – 150 days ARO

**VOLUME DISCOUNT:** Volume discount applies to the base price of bus only--not options. The volume number used for calculating the discount is the number of buses ordered irrespective of type and/or size. State agencies and localities can combine their requirements and process as one order to take advantage of the volume discount.

## GENERAL TERMS & CONDITIONS

---

- A. **VENDORS MANUAL**: This solicitation is subject to the provisions of the Commonwealth of Virginia *Vendors Manual* and any changes or revisions thereto, which are hereby incorporated into this contract in their entirety. The procedure for filing contractual claims is in section 7.19 of the *Vendors Manual*. A copy of the manual is normally available for review at the purchasing office and is accessible on the Internet at [www.dgs.state.va.us/dps](http://www.dgs.state.va.us/dps) under "Manuals."
- B. **APPLICABLE LAWS AND COURTS**: This solicitation and any resulting contract shall be governed in all respects by the laws of the Commonwealth of Virginia and any litigation with respect thereto shall be brought in the courts of the Commonwealth. The contractor shall comply with all applicable federal, state and local laws, rules and regulations.
- C. **ANTI-DISCRIMINATION**: By submitting their proposals, Offerors certify to the Commonwealth that they will conform to the provisions of the Federal Civil Rights Act of 1964, as amended, as well as the Virginia Fair Employment Contracting Act of 1975, as amended, where applicable, the Virginians With Disabilities Act, the Americans With Disabilities Act and § 2.2-4311 of the *Virginia Public Procurement Act (VPPA)*. If the award is made to a faith-based organization, the organization shall not discriminate against any recipient of goods, services, or disbursements made pursuant to the contract on the basis of the recipient's religion, religious belief, refusal to participate in a religious practice, or on the basis of race, age, color, gender or national origin and shall be subject to the same rules as other organizations that contract with public bodies to account for the use of the funds provided; however, if the faith-based organization segregates public funds into separate accounts, only the accounts and programs funded with public funds shall be subject to audit by the public body. (*Code of Virginia*, § 2.2-4343.1E).

In every contract over \$10,000 the provisions in 1. and 2. below apply:

1. During the performance of this contract, the contractor agrees as follows:
    - a. The contractor will not discriminate against any employee or applicant for employment because of race, religion, color, sex, national origin, age, disability, or any other basis prohibited by state law relating to discrimination in employment, except where there is a bona fide occupational qualification reasonably necessary to the normal operation of the contractor. The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices setting forth the provisions of this nondiscrimination clause.
    - b. The contractor, in all solicitations or advertisements for employees placed by or on behalf of the contractor, will state that such contractor is an equal opportunity employer.
    - c. Notices, advertisements and solicitations placed in accordance with federal law, rule or regulation shall be deemed sufficient for the purpose of meeting these requirements.
  2. The contractor will include the provisions of 1. above in every subcontract or purchase order over \$10,000, so that the provisions will be binding upon each subcontractor or vendor.
- D. **ETHICS IN PUBLIC CONTRACTING**: By submitting their proposals, Offerors certify that their proposals are made without collusion or fraud and that they have not offered or received any kickbacks or inducements from any other Offeror, supplier, manufacturer or subcontractor in connection with their proposal, and that they have not conferred on any public employee having official responsibility for this procurement transaction any payment, loan, subscription, advance, deposit of money, services or anything of more than nominal value, present or promised, unless consideration of substantially equal or greater value was exchanged.
- E. **IMMIGRATION REFORM AND CONTROL ACT OF 1986**: By submitting their proposals, Offerors certify that they do not and will not during the performance of this contract employ illegal alien workers or otherwise violate the provisions of the federal Immigration Reform and Control Act of 1986.



F. **DEBARMENT STATUS:** By submitting their proposals, Offerors certify that they are not currently debarred by the Commonwealth of Virginia from submitting bids or proposals on contracts for the type of goods and/or services covered by this solicitation, nor are they an agent of any person or entity that is currently so debarred.

G. **ANTITRUST:** By entering into a contract, the contractor conveys, sells, assigns, and transfers to the Commonwealth of Virginia all rights, title and interest in and to all causes of action it may now have or hereafter acquire under the antitrust laws of the United States and the Commonwealth of Virginia, relating to the particular goods or services purchased or acquired by the Commonwealth of Virginia under said contract.

H. **MANDATORY USE OF STATE FORM AND TERMS AND CONDITIONS FOR RFPs:**

Failure to submit a proposal on the official state form provided for that purpose may be a cause for rejection of the proposal. Modification of or additions to the General Terms and Conditions of the solicitation may be cause for rejection of the proposal; however, the Commonwealth reserves the right to decide, on a case by case basis, in its sole discretion, whether to reject such a proposal.

I. **CLARIFICATION OF TERMS:** If any prospective Offeror has questions about the specifications or other solicitation documents, the prospective Offeror should contact the buyer whose name appears on the face of the solicitation no later than five working days before the due date. Any revisions to the solicitation will be made only by addendum issued by the buyer.

J. **PAYMENT:**

1. **To Prime Contractor:**

- a. Invoices for items ordered, delivered and accepted shall be submitted by the contractor directly to the payment address shown on the purchase order/contract. All invoices shall show the state contract number and/or purchase order number; social security number (for individual contractors) or the federal employer identification number (for proprietorships, partnerships, and corporations).
- b. Any payment terms requiring payment in less than 45 days will be regarded as requiring payment 30 days after invoice or delivery, whichever occurs last. This shall not affect offers of discounts for payment in less than 45 days, however.
- c. All goods or services provided under this contract or purchase order, that are to be paid for with public funds, shall be billed by the contractor at the contract price, regardless of which public agency is being billed.
- d. The following shall be deemed to be the date of payment: the date of postmark in all cases where payment is made by mail, or the date of offset when offset proceedings have been instituted as authorized under the Virginia Debt Collection Act.
- e. **Unreasonable Charges.** Under certain emergency procurements and for most time and material purchases, final job costs cannot be accurately determined at the time orders are placed. In such cases, contractors should be put on notice that final payment in full is contingent on a determination of reasonableness with respect to all invoiced charges. Charges which appear to be unreasonable will be researched and challenged, and that portion of the invoice held in abeyance until a settlement can be reached. Upon determining that invoiced charges are not reasonable, the Commonwealth shall promptly notify the contractor, in writing, as to those charges which it considers unreasonable and the basis for the determination. A contractor may not institute legal action unless a settlement cannot be reached within thirty (30) days of notification. The provisions of this section do not relieve an agency of its prompt payment obligations with respect to those charges which are not in dispute (*Code of Virginia*, § 2.2-4363).

2. **To Subcontractors:**

- a. A contractor awarded a contract under this solicitation is hereby obligated:

(1) To pay the subcontractor(s) within seven (7) days of the contractor's receipt of payment from the Commonwealth for the proportionate share of the payment received for work performed by the subcontractor(s) under the contract; or

(2) To notify the agency and the subcontractor(s), in writing, of the contractor's intention to withhold payment and the reason.

b. The contractor is obligated to pay the subcontractor(s) interest at the rate of one percent per month (unless otherwise provided under the terms of the contract) on all amounts owed by the contractor that remain unpaid seven (7) days following receipt of payment from the Commonwealth, except for amounts withheld as stated in (2) above. The date of mailing of any payment by U. S. Mail is deemed to be payment to the addressee. These provisions apply to each sub-tier contractor performing under the primary contract. A contractor's obligation to pay an interest charge to a subcontractor may not be construed to be an obligation of the Commonwealth.

K. **PRECEDENCE OF TERMS:** Paragraphs A-J of these General Terms and Conditions shall apply in all instances. In the event there is a conflict between any of the other General Terms and Conditions and any Special Terms and Conditions in this solicitation, the Special Terms and Conditions shall apply.

L. **QUALIFICATIONS OF OFFERORS:** The Commonwealth may make such reasonable investigations as deemed proper and necessary to determine the ability of the Offeror to furnish the goods and the Offeror shall furnish to the Commonwealth all such information and data for this purpose as may be requested. The Commonwealth reserves the right to inspect Offeror's physical facilities prior to award to satisfy questions regarding the Offeror's capabilities. The Commonwealth further reserves the right to reject any proposal if the evidence submitted by, or investigations of, such Offeror fails to satisfy the Commonwealth that such Offeror is properly qualified to carry out the obligations of the contract and to provide the services and/or furnish the goods contemplated therein.

M. **TESTING AND INSPECTION:** The Commonwealth reserves the right to conduct any test/inspection it may deem advisable to assure goods and services conform to the specifications.

N. **ASSIGNMENT OF CONTRACT:** A contract shall not be assignable by the contractor in whole or in part without the written consent of the Commonwealth.

O. **CHANGES TO THE CONTRACT:** Changes can be made to the contract in any of the following ways:

1. The parties may agree in writing to modify the scope of the contract. An increase or decrease in the price of the contract resulting from such modification shall be agreed to by the parties as a part of their written agreement to modify the scope of the contract.

2. The Purchasing Agency may order changes within the general scope of the contract at any time by written notice to the contractor. Changes within the scope of the contract include, but are not limited to, things such as services to be performed, the method of packing or shipment, and the place of delivery or installation. The contractor shall comply with the notice upon receipt. The contractor shall be compensated for any additional costs incurred as the result of such order and shall give the Purchasing Agency a credit for any savings. Said compensation shall be determined by one of the following methods:

a. By mutual agreement between the parties in writing; or

b. By agreeing upon a unit price or using a unit price set forth in the contract, if the work to be done can be expressed in units, and the contractor accounts for the number of units of work performed, subject to the Purchasing Agency's right to audit the contractor's records and/or to determine the correct number of units independently; or

c. By ordering the contractor to proceed with the work and keep a record of all costs incurred and savings realized. A markup for overhead and profit may be allowed if provided by the contract. The

same markup shall be used for determining a decrease in price as the result of savings realized. The contractor shall present the Purchasing Agency with all vouchers and records of expenses incurred and savings realized. The Purchasing Agency shall have the right to audit the records of the contractor as it deems necessary to determine costs or savings. Any claim for an adjustment in price under this provision must be asserted by written notice to the Purchasing Agency within thirty (30) days from the date of receipt of the written order from the Purchasing Agency. If the parties fail to agree on an amount of adjustment, the question of an increase or decrease in the contract price or time for performance shall be resolved in accordance with the procedures for resolving disputes provided by the Disputes Clause of this contract or, if there is none, in accordance with the disputes provisions of the Commonwealth of Virginia *Vendors Manual*. Neither the existence of a claim nor a dispute resolution process, litigation or any other provision of this contract shall excuse the contractor from promptly complying with the changes ordered by the Purchasing Agency or with the performance of the contract generally.

- P. **DEFAULT:** In case of failure to deliver goods or services in accordance with the contract terms and conditions, the Commonwealth, after due oral or written notice, may procure them from other sources and hold the contractor responsible for any resulting additional purchase and administrative costs. This remedy shall be in addition to any other remedies which the Commonwealth may have.
- Q. **TAXES:** Sales to the Commonwealth of Virginia are normally exempt from State sales tax. State sales and use tax certificates of exemption, Form ST-12, will be issued upon request. Deliveries against this contract shall usually be free of Federal excise and transportation taxes. The Commonwealth's excise tax exemption registration number is 54-73-0076K.
- R. **USE OF BRAND NAMES:** Unless otherwise provided in this solicitation, the name of a certain brand, make or manufacturer does not restrict Offeror to the specific brand, make or manufacturer named, but conveys the general style, type, character, and quality of the article desired. Any article which the public body, in its sole discretion, determines to be the equal of that specified, considering quality, workmanship, economy of operation, and suitability for the purpose intended, shall be accepted. The Offeror is responsible to clearly and specifically identify the product being offered and to provide sufficient descriptive literature, catalog cuts and technical detail to enable the Commonwealth to determine if the product offered meets the requirements of the solicitation. This is required even if offering the exact brand, make or manufacturer specified. Normally in competitive sealed bidding only the information furnished with the bid will be considered in the evaluation. Failure to furnish adequate data for evaluation purposes may result in declaring a bid nonresponsive. Unless the Offeror clearly indicates in its proposal that the product offered is an equal product, such proposal will be considered to offer the brand name product referenced in the solicitation.
- S. **TRANSPORTATION AND PACKAGING:** By submitting their proposals, all Offeror certify and warrant that the price offered for FOB destination includes only the actual freight rate costs at the lowest and best rate and is based upon the actual weight of the goods to be shipped. Except as otherwise specified herein, standard commercial packaging, packing and shipping containers shall be used. All shipping containers shall be legibly marked or labeled on the outside with purchase order number, commodity description, and quantity.
- T. **INSURANCE:** By signing and submitting a bid or proposal under this solicitation, the bidder or offeror certifies that if awarded the contract, it will have the following insurance coverages at the time the contract is awarded. For construction contracts, if any subcontractors are involved, the subcontractor will have workers' compensation insurance in accordance with §§ 2.2-4332 and 65.2-800 et seq. of the *Code of Virginia*. The bidder or offeror further certifies that the contractor and any subcontractors will maintain these insurance coverages during the entire term of the contract and that all insurance coverages will be provided by insurance companies authorized to sell insurance in Virginia by the Virginia State Corporation Commission.

**INSURANCE COVERAGES AND LIMITS REQUIRED:**

1. Workers' Compensation - Statutory requirements and benefits.
2. Employer's Liability - \$100,000.

3. Commercial General Liability - \$500,000 combined single limit. Commercial General Liability is to include Premises/Operations Liability, Products and Completed Operations Coverage, and Independent Contractor's Liability or Owner's and Contractor's Protective Liability. The Commonwealth of Virginia must be named as an additional insured when requiring a Contractor to obtain Commercial General Liability coverage.

**(Note to Agency/Institution:** When the requirement is for parking facilities and garages for motor vehicle maintenance contracts, the forgoing sentence should be changed to read: These coverages are to include Products, Completed Operations Coverage and Garagekeeper's Liability.)

4. Automobile Liability - \$500,000 - Combined single limit. (Only used if motor vehicle is to be used in the contract.)

U. **ANNOUNCEMENT OF AWARD:** Upon the award or the announcement of the decision to award a contract over \$30,000, as a result of this solicitation, the purchasing agency will publicly post such notice on the DGS/DPS eVA web site ([www.eva.state.va.us](http://www.eva.state.va.us)) for a minimum of 10 days.

V. **DRUG-FREE WORKPLACE:** During the performance of this contract, the contractor agrees to (i) provide a drug-free workplace for the contractor's employees; (ii) post in conspicuous places, available to employees and applicants for employment, a statement notifying employees that the unlawful manufacture, sale, distribution, dispensation, possession, or use of a controlled substance or marijuana is prohibited in the contractor's workplace and specifying the actions that will be taken against employees for violations of such prohibition; (iii) state in all solicitations or advertisements for employees placed by or on behalf of the contractor that the contractor maintains a drug-free workplace; and (iv) include the provisions of the foregoing clauses in every subcontract or purchase order of over \$10,000, so that the provisions will be binding upon each subcontractor or vendor.

For the purposes of this section, "*drug-free workplace*" means a site for the performance of work done in connection with a specific contract awarded to a contractor, the employees of whom are prohibited from engaging in the unlawful manufacture, sale, distribution, dispensation, possession or use of any controlled substance or marijuana during the performance of the contract.

W. **NONDISCRIMINATION OF CONTRACTORS:** A bidder, offeror, or contractor shall not be discriminated against in the solicitation or award of this contract because of race, religion, color, sex, national origin, age, disability, faith-based organizational status, any other basis prohibited by state law relating to discrimination in employment or because the bidder or offeror employs ex-offenders unless the state agency, department or institution has made a written determination that employing ex-offenders on the specific contract is not in its best interest. If the award of this contract is made to a faith-based organization and an individual, who applies for or receives goods, services, or disbursements provided pursuant to this contract objects to the religious character of the faith-based organization from which the individual receives or would receive the goods, services, or disbursements, the public body shall offer the individual, within a reasonable period of time after the date of his objection, access to equivalent goods, services, or disbursements from an alternative provider.

X. **eVA BUSINESS-TO-GOVERNMENT VENDOR REGISTRATION:** The eVA Internet electronic procurement solution, web site portal [www.eva.state.va.us](http://www.eva.state.va.us), streamlines and automates government purchasing activities in the Commonwealth. The portal is the gateway for vendors to conduct business with state agencies and public bodies. All vendors desiring to provide goods and/or services to the Commonwealth shall participate in the eVA Internet e-procurement solution either through the eVA Basic Vendor Registration Service or eVA Premium Vendor Registration Service. All bidders or offerors must register in eVA; failure to register will result in the bid/proposal being rejected.

- a. eVA Basic Vendor Registration Service: \$25 Annual Fee plus a Transaction Fee of 1% per order received. The maximum transaction fee is \$500 per order. eVA Basic Vendor Registration Service includes electronic order receipt, vendor catalog posting, on-line registration, and electronic bidding.
- b. eVA Premium Vendor Registration Service: \$200 Annual Fee plus a Transaction Fee of 1% per order received. The maximum transaction fee is \$500 per order. eVA Premium Vendor Registration Service includes all benefits of the eVA Basic Vendor Registration Service plus automatic email or fax notification of

solicitations and amendments, and ability to research historical procurement data, as they become available.

### **SPECIAL TERMS AND CONDITIONS**

---

1. **ACCEPTANCE PERIOD:** Any response to this solicitation shall be valid for 120 days. At the end of the 120 days the proposal may be withdrawn at the written request of the Offeror. If the proposal is not withdrawn at that time it remains in effect until an award is made of the solicitation is canceled.
2. **ADVERTISING:** In the event a contract is awarded for supplies, equipment, or services resulting from this proposal, no indication of such sales or services to the Commonwealth of Virginia will be used in product literature or advertising. The Contractor shall not state in any of its advertising or product literature that the Commonwealth of Virginia or any agency or institution of the Commonwealth has purchased or uses its products or services.
3. **AUDIT:** The Contractor shall retain all books, records, and other documents relative to this contract for five (5) years after final payment, or until audited by the Commonwealth of Virginia, whichever is sooner. The agency, its authorized agents, and/or state auditors shall have full access to and the right to examine any of said materials during said period.
4. **AVAILABILITY OF FUNDS:** It is understood and agreed between the parties herein that the agency shall be bound hereunder only to the extent of the funds available or which may hereafter become available for the purpose of this agreement.
5. **CANCELLATION OF CONTRACT:** The purchasing agency reserves the right to cancel and terminate any resulting contract, in part or in whole, without penalty, upon 60 days written notice to the Contractor. In the event the initial contract period is for more than 12 months, the resulting contract may be terminated by either party, without penalty, after the initial 12 months of the contract period upon 60 days written notice to the other party. Any contract cancellation notice shall not relieve the Contractor of the obligation to deliver and/or perform on all outstanding orders issued prior to the effective date of cancellation.
6. **DURATION AND AVAILABILITY OF PRICES:** The prices, terms and conditions that you specify in your proposal must be valid for 120 days or until you withdraw the proposal, whichever is later. Should any contract be signed, pricing, pricing structure and pricing escalation/ de-escalation will be governed by the terms and conditions contained in Section V and Section VI of this RFP.
7. **eVA BUSINESS-TO-GOVERNMENT CONTRACTS:** The eVA Internet electronic procurement solution, web site portal [www.eva.state.va.us](http://www.eva.state.va.us) , streamlines and automates government purchasing activities in the Commonwealth. The portal is the gateway for vendors to conduct business with state agencies and public bodies.

Vendors desiring to provide goods and/or services to the Commonwealth shall participate in the eVA

Internet e-procurement solution and agree to comply with the following:

- a. Submit a fully executed American Management Systems, Inc., (AMS) Trading Partner Agreement, a copy of which can be accessed and downloaded from [www.eva.state.va.us](http://www.eva.state.va.us). AMS is the Commonwealth's service provider to implement and host the eVA e-procurement solution.

Provide an electronic catalog (price list) for items awarded under a term contract. The format of this electronic catalog shall conform to the eVA Catalog Interchange Format (CIF) Specification that can be accessed and downloaded from [www.eva.state.va.us](http://www.eva.state.va.us).

8. **IDENTIFICATION OF PROPOSAL ENVELOPE:** If a special envelope is not furnished, or if return in the special envelope is not possible, the signed proposal should be returned in a separate envelope or package, sealed and identified as follows:

From:

Name of Offeror

Due Date

Time

Street or Box Number

RFP No.

City, State, Zip Code

RFP Title

Name of Contract/Purchase Officer or Buyer

The envelope should be addressed as stated on the Request for Proposal (RFP) Response Form, located before the Notice of Intent to Respond.

If a proposal not contained in the special envelope is mailed, the Offeror takes the risk that the envelope, even if marked as described above, may be inadvertently opened and the information compromised which may cause the proposal to be disqualified. Proposals may be hand delivered to the designated location in the office issuing the solicitation. No other correspondence or other proposals should be placed in the envelope.

9. **INDEMNIFICATION:** Contractor agrees to indemnify, defend and hold harmless the Commonwealth of Virginia, its officers, agents, and employees from any claims, damages and actions of any kind or nature, whether at law or in equity, arising from or caused by the use of any materials, goods, or equipment of any kind or nature furnished by the Contractor/any services of any kind or nature furnished by the Contractor, provided that such liability is not attributable to the sole negligence of the using agency or to failure of the using agency to use the materials, goods, or equipment in the manner already and permanently described by the Contractor on the materials, goods or equipment delivered.
10. **MULTI-YEAR CONTRACT AWARD:** While this proposal is being drafted with the provision that it will be a one-year contract with four one year options, Offerors will have the ability to propose a multi-year initial period contract discount. Should a multi-year contract be awarded per the terms of the multi-year contract discount, pricing would remain constant over the base period of the contract.
11. **PILOT REQUIREMENT:** All buses offered pursuant to this solicitation shall have completed a pilot program approved by the Virginia Department of Education.
12. **PRICE ESCALATION/DE-ESCALATION:** Price adjustments may be permitted for changes in the contractor's cost of the buses. Price escalation may be permitted only at the end of each contract year. However, "across the board" price decreases are subject to implementation at any time and shall be immediately conveyed to the Commonwealth.

Contractor shall give not less than 30 days advance notice of any price increase to the purchasing office. Any approved price changes will be effective only at the beginning of the calendar month following the end of the full 30 day notification period. The contractor shall document the amount and proposed effective date of any general change in the price of the bus. Documentation shall be supplied with the contractor's request for increase which will: (1) verify that the requested price increase is general in scope and not applicable just to the Commonwealth of Virginia; (2) provide detailed information justifying the manufacturer's increased wholesale price (to include specific costs associated with meeting Federal mandates) which is being passed on to the contractor; and (3) the contractor must provide documentation that only the amount of the manufacturer's increase is included in the price adjustment.

The purchasing office will notify the using agencies and contractor in writing of the effective date of any increase which it approves. However, the contractor shall fill all purchase orders received prior to the effective date of the price adjustment at the old contract prices. The contractor is further advised that decreases which affect the cost of materials are required to be communicated immediately to the purchasing office.

13. **PRIME CONTRACTOR RESPONSIBILITIES:** The Contractor shall be responsible for completely supervising and directing the work under this contract and all subcontractors that he may utilize, using his best skill and attention. Subcontractors who perform work under this contract shall be responsible to the prime Contractor. The Contractor agrees that he is as fully responsible for the acts and omissions of his subcontractors and of persons employed by them as he is for the acts and omissions of his own employees.
14. **PRODUCT INFORMATION:** The Offeror shall clearly and specifically identify the product being offered and enclose complete and detailed descriptive literature, catalog cuts and specifications with the proposal to enable the Commonwealth to determine if the product offered meets the requirements of the solicitation. Failure to do so may cause the proposal to be considered nonresponsive.
15. **QUANTITIES:** Quantities set forth in this solicitation are estimates only, and the Contractor shall supply at proposed prices actual quantities as ordered, regardless of whether such total quantities are more or less than those shown.
16. **RENEWAL OF CONTRACT:** This contract may be renewed by the Commonwealth for a period of up to four (4) successive one year periods under the terms and conditions of the original contract except as stated above. The base of the resulting contract is subject to negotiation, however in no case will the contract period be more than five years to include potential option years. Written notice of the Commonwealth's intention to renew will be given approximately 90 days prior to the expiration date of each contract period.
17. **RFP COMPETITION DETAILS:** Virginia has broad flexibility in fashioning the details of competition for this RFP. This may include conducting online reverse auctions for certain products within this RFP or setting price targets as part of follow-on negotiations in order to determine the prices that will be used to evaluate the pricing part of your proposal.
18. **SECURITY RULES AND REGULATIONS:** The Contractor shall be responsible for ensuring that all personnel connected with the work comply with the rules and regulations of the Contract User. The Contractor shall maintain proper security and control over all personnel, equipment, tools and materials at all times. The Contractor's equipment and personnel shall be subject to security checks and associated delays there from.
19. **SUBCONTRACTS:** No portion of the work shall be subcontracted without prior written consent of the purchasing agency. In the event that the Contractor desires to subcontract some part of the work specified herein, the Contractor shall furnish the purchasing agency the names, qualifications and experience of their proposed subcontractors. The Contractor shall, however, remain fully liable and responsible for the work to be done by its subcontractor(s) and shall assure compliance with all requirements of the contract.

#### **Requirements**

---

In addition to meeting the specifications outlined for each bus, the Commonwealth expects the following criteria to be met:

1. **Delivery.** By submitting proposals, Offerors certify and warrant that all offered prices are FOB ordering entity. Each purchase order will specify the exact delivery location. Offeror must give buyer 2 business days notice prior to delivery.
2. **Liquidated Damages.** Delivery is required not later than 150 days to any district in the Commonwealth. It is understood and agreed by the Offeror that time is of the essence in the delivery of school buses. In the event school buses are not delivered by the date specified there will be deducted, not as a penalty but as liquidated damages, the sum of \$50 per day for each and every business day of delay beyond the time specified; except that if the delivery be delayed by any act, negligence, or default on the part of the Commonwealth, public enemy, war, embargo, fire, or explosion not caused by the negligence or intentional act of the contractor or his supplier(s), or by riot, sabotage, or labor trouble that results from a cause or causes entirely beyond the control or fault of the contractor or his supplier(s), a reasonable extension of time as the procuring public body deems appropriate may be granted. Upon receipt of a written request and justification for any extension from the contractor, the purchasing office may extend the time for

performance of the contract or delivery of goods herein specified, at the purchasing office's sole discretion, for good cause shown.

3. Warranty. The Offeror agrees that the goods or services furnished under any award resulting from this solicitation shall be covered by the most favorable commercial warranties the Offeror gives any customer for such goods or services and that the rights and remedies provided therein are in addition to and do not limit those available to the Commonwealth by any other clause of this solicitation. A copy of this warranty should be furnished with the proposal. Additionally, copies of overall extended warranty plans quoted in Appendix E, Option Pricing, should be included as an attachment to your RFP response.
4. eVA. The Contract Users will submit orders to the Contractor via the Commonwealth's electronic procurement system. Contractors must register on eVA.
5. Ordering Methods. The Commonwealth requires Offeror(s) to accept orders via the eVA ordering system. Contractors must also have a local Virginia telephone number, or a toll free (800) number, or agree to accept collect calls. Each Contract User is responsible for placing its own orders through eVA. Contract Users may specify needs by phone, fax, or email; however, actual orders must be placed through eVA.
6. Lease Purchase. A school district or locality may decide to purchase school buses on a lease purchase basis. If such a financing vehicle is the buyer's preferred method, both the buyer and vendor must approve the terms, with pricing consistent with that proposed through this RFP.
7. Payment Terms. In accordance with the VPPA, standard payment terms are net 45 days from product delivery or invoice receipt, whichever is later.
8. Usage Reports. The Contractor will provide the Division of Purchases and Supply with electronic monthly usage reports on the 14<sup>th</sup> day of the following month or the proceeding business day if the 14<sup>th</sup> falls on a weekend.

The usage report should contain the following information at a minimum:

- 1) Contract User (i.e. school district/locality)
- 2) Bus Type
- 3) Capacity
- 4) Chassis Manufacturer
- 5) Body Manufacturer
- 6) Vehicle Identification Number
- 7) Purchase Price

The Commonwealth reserves the right to add additional information to the usage report at any time:

Failure to submit this information in the required time may result in cancellation of the resulting contract and disqualification from the next solicitation for this contract.

9. Utilization of Small Businesses and Businesses Owned by Women and Minorities

The following reports shall be submitted, using the same format as Appendix J:

10. Periodic Progress Reports/Invoices. The Contractor shall provide a report on involvement of small businesses and businesses owned by women and minorities on a quarterly basis to the Contract Officer. This report will specify the actual dollars contracted to be spent to date with such businesses, actual dollars expended to date with such businesses, and the total dollars planned to be contracted with such businesses on this contract. This information shall be provided separately for small businesses, women-owned businesses and minority-owned businesses.
11. Final Actual Involvement Report. The Contractor shall submit to the Contract Officer, within 10 days of contract completion, a report on the actual dollars spent with small businesses and businesses owned by



women and minorities during the performance of this contract. At a minimum, this report shall include for each firm contracted with and for each such business class (i.e., small, women-owned, minority-owned) a comparison of the total actual dollars spent on this contract with the planned involvement of the firm and business class as specified in the proposal, and the actual percent of the total estimated contract value.

12. Access to and Inspection of Work. The Commonwealth of Virginia will, at all times, have access to the work being performed under this contract wherever it may be in progress or preparation.
13. Trade Ins: Under this contract it is permissible to conduct a trade-in of buses on a one for one basis with the selling bus dealer. It will be the responsibility of the ordering entity to ensure compliance with local policy, regulations or laws. If this clause conflicts with local policy, regulations, or laws, however, then local policy, regulation, or law shall prevail.

Type C - 34, Passenger Conventional

Feature	Minimum Specification	Thomas	Bluebird	International
GVWR	21,000	22200 LB.	Meets	23,500
WHEELS	8-STUD DISC – 22.5” X 6.75”	10 STUD 22.5" x 7.5"	Meets	10 Stud 22.5"x7.50"
TIRES	9R22.5 – 12 PLY	9R22.5 12 PLY	Meets	10R22.5 - 12 ply
FRAME	ONE PIECE SIDE MEMBER – FRONT TOW HOOKS	AS SPECIFIED	Meets	As Specified
STEERING	POWER – MEETING VIRGINIA SPECIFICATIONS	AS SPECIFIED	Meets	As Specified
FRONT BUMPER	3/16” STEEL	5/16" X 3" X 10"	Meets	1/4" steel
FRONT AXLE	6,000 LB.	8000 LB.	Meets	8,000 lb
REAR AXLE	15,000 LB.	AS SPECIFIED	Meets	17,500 lb
BRAKES	HYDRAULIC DISC W/ABS (ALLISON 2400 ONLY) – OR - FULL AIR – 13.2 CFM COMPRESSOR – AIR DRYER (5 SPEED DIRECT OR ALLISON 2000 ONLY)	HYDRAULIC DISC ABS W/AIR OPTIONAL	Meets	Hydraulic/Air
SUSPENSION A	FRT. SPRINGS 3,000 LB. EA. @ GRD.	4000 LB. EACH @ GROUND	Meets	4,000 each
SUSPENSION B	REAR SPRINGS 7,500 LB. EA. @ GRD.	AS SPECIFIED	Meets	7,750 each
SUSPENSION C	FRT. AND REAR SHOCK ABSORBERS	AS SPECIFIED	Meets	As Specified
ENGINE A	175 H.P.	MERCEDES MBE 906 190 HP IN LINE 6	Meets	As Specified
ENGINE B	ELECTRONIC HAND THROTTLE	AS SPECIFIED	Meets	As Specified
ENGINE C	ECM SET TO MAXIMUM OF 55 MPH	AS SPECIFIED	Meets	As Specified
TRANSMISSION	5 SPEED DIRECT, ALLISON 2400, OR ALLISON 2000, SEE BRAKES FOR AUTHORIZED CONFIGURATIONS.	ALLISON 2400 AUTOMATIC	Meets	Hydraulic - Allison 2400 Air - Allison 2000
DRIVE SHAFT	GUARDS ON ALL SHAFTS	AS SPECIFIED	Meets	As Specified
FUEL TANK	35 GALLON	AS SPECIFIED	Meets	As Specified
AIR CLEANER	DRY ELEMENT TYPE WITH RESTRICTION GAUGE	AS SPECIFIED	Meets	As Specified
OIL FILTER	1-QT. PER MANUFACTURER	AS SPECIFIED	Meets	As Specified

BATTERY	750CCA	(2) 760 CCA EACH	Meets	1100 CCA
ALTERNATOR	160AMP; 4 GA. CHARGING AND GROUND CIRCUITS	160 AMP LEECE NEVILLE LARGE CASE	Meets	As Specified
HORN	PER FMVSS	AS SPECIFIED	Meets	As Specified
LIGHTS	PER FMVSS AND DAYTIME RUNNING LIGHTS	AS SPECIFIED	Meets	As Specified
GAUGES	SPEEDOMETER, TACHOMETER, FUEL, OIL PRESSURE, COOLANT TEMP.; & VOLTMETER	AS SPECIFIED	Meets	As Specified
COLOR	FRAME, WHEELS, BUMPER, RAILS AND LETTERING – BLACK - - BACK OF MIRRORS, NON GLOSS BLACK -BALANCE YELLOW	AS SPECIFIED	Meets	As Specified

Type D - 42, Passenger Engine Front

Feature	Minimum Specification	Thomas	Bluebird	International
GVWR	27,800	30000 LB.	No Bid	29,500
WHEELS	10-STUD DISC – 22.5” X 7.5”	AS SPECIFIED	No Bid	10 Stud 22.5"x8.25"
TIRES	11R22.5 – 14 PLY	AS SPECIFIED	No Bid	As Specified
FRAME	ONE PIECE SIDE MEMBER – FRONT TOW HOOKS	AS SPECIFIED	No Bid	As Specified
STEERING	POWER – MEETING VIRGINIA SPECIFICATIONS	AS SPECIFIED	No Bid	As Specified
FRONT BUMPER	3/16” STEEL	1/4" X 3" X 10"	No Bid	1/4" Steel
FRONT AXLE	10,800 LB.	13200 LB.	No Bid	12,000 lb
REAR AXLE	17,000 LB.	19000 LB.	No Bid	17,500 lb
BRAKES	FULL AIR– 13.2 CF COMP– 16.5” X 5” FRT– 16.5” X 7” REAR–AIR DRYER	AS SPECIFIED	No Bid	As Specified
SUSPENSION A	FRT. SPRINGS 5,400 LB. EA. @ GRD.	6600 LB.	No Bid	6,000 lb each
SUSPENSION B	REAR SPRINGS 8,500 LB. EA. @ GRD.	9500 LB.	No Bid	9,250 lb each
SUSPENSION C	FRT. AND REAR SHOCK ABSORBERS	AS SPECIFIED	No Bid	As Specified
ENGINE A	175 H.P.	CUMMINS ISB 215 HP IN LINE 6	No Bid	210 h.p.
ENGINE B	ELECTRONIC HAND THROTTLE	AS SPECIFIED	No Bid	As Specified
ENGINE C	ECM SET TO MAXIMUM OF 55 MPH	AS SPECIFIED	No Bid	As Specified
TRANSMISSION	ALLISON 2000	AS SPECIFIED	No Bid	As Specified
DRIVE SHAFT	GUARDS ON ALL SHAFTS	AS SPECIFIED	No Bid	As Specified
FUEL TANK	35 GALLON	60 GALLON	No Bid	As Specified
AIR CLEANER	DRY ELEMENT TYPE WITH RESTRICTION GAUGE	AS SPECIFIED	No Bid	As Specified

OIL FILTER	1-QT. PER MANUFACTURER	AS SPECIFIED	No Bid	As Specified
BATTERY	750CCA	(2) 760 CCA EACH	No Bid	1100 CCA
ALTERNATOR	160 AMP; 4 GA. CHARGING AND GROUND CIRCUITS	LEECE NEVILLE 175 LARGE CASE	No Bid	As Specified
HORN	PER FMVSS	AS SPECIFIED	No Bid	As Specified
LIGHTS	PER FMVSS AND DAYTIME RUNNING LIGHTS	AS SPECIFIED	No Bid	As Specified
GAUGES	SPEEDOMETER, TACHOMETER, FUEL, OIL PRESSURE, COOLANT TEMP.; & VOLTMETER	AS SPECIFIED	No Bid	As Specified
COLOR	FRAME, WHEELS, BUMPER, RAILS AND LETTERING – BLACK - - BACK OF MIRRORS, NON GLOSS BLACK -BALANCE YELLOW	AS SPECIFIED	No Bid	As Specified

Type C - 52, Passenger Conventional

Feature	Minimum Specification	Thomas	Bluebird	International
GVWR	25,000	25500 LB.	Exceeds	25,500
WHEELS	8-STUD DISC – 22.5” X 6.75”	AS SPECIFIED	Meets	10 Stud 22.5"x7.50"
TIRES	9R22.5 – 12 PLY	AS SPECIFIED	Meets	10R22.5 - 12 Ply
FRAME	ONE PIECE SIDE MEMBER – FRONT TOW HOOKS	AS SPECIFIED	Meets	As Specified
STEERING	POWER – MEETING VIRGINIA SPECIFICATIONS	AS SPECIFIED	Meets	As Specified
FRONT BUMPER	3/16” STEEL	5/16" X 3" X 10"	Exceeds - 1/4" Steel	1/4" steel
FRONT AXLE	8,000 LB.	AS SPECIFIED	Exceeds - 12,000 LB	As Specified
REAR AXLE	17,000 LB.	17500 LB.	Exceeds - 21,000 LB	17,500 lb
BRAKES	HYDRAULIC DISC W/ABS (ALLISON 2400 ONLY) – OR - FULL AIR – 13.2 CFM COMPRESSOR – AIR DRYER (5 SPEED DIRECT OR ALLISON 2000 ONLY)	HYDRAULIC DISC ABS WAIR OPTIONAL	Meets	Hydraulic/Air
SUSPENSION A	FRT. SPRINGS 4,000 LB. EA. @ GRD.	AS SPECIFIED	Exceeds - 5000 LB each	As Specified
SUSPENSION B	REAR SPRINGS 8,500 LB. EA. @ GRD.	AS SPECIFIED	Exceeds - 10,500 LB each	9,250 each
SUSPENSION C	FRT. AND REAR SHOCK ABSORBERS	AS SPECIFIED	Meets	As Specified
ENGINE A	175 H.P.	MERCEDES MBE 906 190 HP IN LINE 6	Exceeds - 190 HP	As Specified
ENGINE B	ELECTRONIC HAND THROTTLE	AS SPECIFIED	Meets	As Specified
ENGINE C	ECM SET TO MAXIMUM OF 55 MPH	AS SPECIFIED	Meets	As Specified
TRANSMISSION	5 SPEED DIRECT, ALLISON 2400, OR ALLISON 2000, SEE BRAKES FOR AUTHORIZED CONFIGURATIONS.	ALLISON 2400	Allison 2000 - Standard, option for 2400 and 5-speed not available	Hydraulic - Allison 2400 Air - Allison 2000
DRIVE SHAFT	GUARDS ON ALL SHAFTS	AS SPECIFIED	Meets	As Specified
FUEL TANK	35 GALLON	AS SPECIFIED	Exceeds - 60 gallon	As Specified
AIR CLEANER	DRY ELEMENT TYPE WITH RESTRICTION GAUGE	AS SPECIFIED	Meets	As Specified

OIL FILTER	1-QT. PER MANUFACTURER	AS SPECIFIED	Meets	As Specified
BATTERY	750CCA	(2) 760 CCA EACH	Exceeds - 2800 CCA	1100 CCA
ALTERNATOR	160 AMP; 4 GA. CHARGING AND GROUND CIRCUITS	LEECE NEVILLE 160 AMP LARGE CASE	Exceeds - 175 amp	As Specified
HORN	PER FMVSS	AS SPECIFIED	Meets	As Specified
LIGHTS	PER FMVSS AND DAYTIME RUNNING LIGHTS	AS SPECIFIED	Meets	As Specified
GAUGES	SPEEDOMETER, TACHOMETER, FUEL, OIL PRESSURE, COOLANT TEMP.; & VOLTMETER	AS SPECIFIED	Exceeds plus digital clock	As Specified
COLOR	FRAME, WHEELS, BUMPER, RAILS AND LETTERING – BLACK - - BACK OF MIRRORS, NON GLOSS BLACK -BALANCE YELLOW	AS SPECIFIED	Meets	As Specified

Type D - 54, Passenger Engine Front

Feature	Minimum Specification	Thomas	Bluebird	International
GVWR	27,800	30000 LB.	Exceeds	Not Awarded
WHEELS	10-STUD DISC – 22.5” X 7.5”	AS SPECIFIED	Meets	Not Awarded
TIRES	11R22.5 – 14 PLY	AS SPECIFIED	Meets	Not Awarded
FRAME	ONE PIECE SIDE MEMBER – FRONT TOW HOOKS	AS SPECIFIED	Meets	Not Awarded
STEERING	POWER – MEETING VIRGINIA SPECIFICATIONS	AS SPECIFIED	Meets	Not Awarded
FRONT BUMPER	3/16” STEEL	1/4" X 3" X 10"	Exceeds - 1/4" steel	Not Awarded
FRONT AXLE	10,800 LB.	13200 LB.	Exceeds - 13,200 LB	Not Awarded
REAR AXLE	17,000 LB.	19000 LB.	Exceeds - 19,000 LB	Not Awarded
BRAKES	FULL AIR– 13.2 CF COMP– 16.5” X 5” FRT– 16.5” X 7” REAR–AIR DRYER	AS SPECIFIED	Meets	Not Awarded
SUSPENSION A	FRT. SPRINGS 5,400 LB. EA. @ GRD.	6600 LB.	Exceeds - 7000 LB	Not Awarded
SUSPENSION B	REAR SPRINGS 8,500 LB. EA. @ GRD.	9500 LB.	Exceeds - 9500 LB	Not Awarded
SUSPENSION C	FRT. AND REAR SHOCK ABSORBERS	AS SPECIFIED	Meets	Not Awarded
ENGINE A	175 H.P.	CUMMINS ISB 215 HP IN LINE 6	Exceeds - 190 HP	Not Awarded
ENGINE B	ELECTRONIC HAND THROTTLE	AS SPECIFIED	Meets	Not Awarded
ENGINE C	ECM SET TO MAXIMUM OF 55 MPH	AS SPECIFIED	Meets	Not Awarded
TRANSMISSION	ALLISON 2000	AS SPECIFIED	Meets	Not Awarded
DRIVE SHAFT	GUARDS ON ALL SHAFTS	AS SPECIFIED	Meets	Not Awarded
FUEL TANK	35 GALLON	60 GALLON	Exceeds - 60 gallon	Not Awarded
AIR CLEANER	DRY ELEMENT TYPE WITH RESTRICTION GAUGE	AS SPECIFIED	Meets	Not Awarded
OIL FILTER	1-QT. PER MANUFACTURER	AS SPECIFIED	Meets	Not Awarded
BATTERY	750CCA	(2) 760 CCA EACH	Exceeds - 2800 CCA	Not Awarded
ALTERNATOR	160 AMP; 4 GA. CHARGING AND GROUND CIRCUITS	175 AMP LEECE NEVILLE LARGE CASE	Meets	Not Awarded
HORN	PER FMVSS	AS SPECIFIED	Meets	Not Awarded



LIGHTS	PER FMVSS AND DAYTIME RUNNING LIGHTS	AS SPECIFIED	Meets	Not Awarded
GAUGES	SPEEDOMETER, TACHOMETER, FUEL, OIL PRESSURE, COOLANT TEMP.; & VOLTMETER	AS SPECIFIED	Meets	Not Awarded
COLOR	FRAME, WHEELS, BUMPER, RAILS AND LETTERING – BLACK - - BACK OF MIRRORS, NON GLOSS BLACK -BALANCE YELLOW	AS SPECIFIED	Meets	Not Awarded

Type C - 64, Passenger Conventional Air Brake

Feature	Minimum Specification	Thomas	Bluebird	International
GVWR	27,500	AS SPECIFIED	Exceeds	As Specified
WHEELS	10-STUD DISC – 22.5” X 7.5”	AS SPECIFIED	Meets	As Specified
TIRES	10R22.5 – 12 PLY	AS SPECIFIED	Meets	As Specified
FRAME	ONE PIECE SIDE MEMBER – FRONT TOW HOOKS	AS SPECIFIED	Meets	As Specified
STEERING	POWER – MEETING VIRGINIA SPECIFICATIONS	AS SPECIFIED	Meets	As Specified
FRONT BUMPER	3/16” STEEL	5/16" X 3" X 10"	Exceeds - 1/4" Steel	1/4" Steel
FRONT AXLE	10,000 LB.	AS SPECIFIED	Exceeds - 12,000 LB	As Specified
REAR AXLE	17,500LB.	AS SPECIFIED	Exceeds - 21,000 LB	As Specified
BRAKES	FULL AIR – 13.2 CFM COMPRESSOR – AIR DRYER (5 SPEED DIRECT OR ALLISON 2000 ONLY)	AS SPECIFIED	Meets	Allison 2000
SUSPENSION A	FRT. SPRINGS 5,000 LB. EA. @ GRD.	AS SPECIFIED	Meets	As Specified
SUSPENSION B	REAR SPRINGS 8,750LB. EA. @ GRD.	AS SPECIFIED	Exceeds - 10,500 LB	9,900 lb each
SUSPENSION C	FRT. AND REAR SHOCK ABSORBERS	AS SPECIFIED	Meets	As Specified
ENGINE A	175 H.P.	MERCEDES MBE 906 190 HP IN LINE 6	Exceeds - 190 HP	As Specified
ENGINE B	ELECTRONIC HAND THROTTLE	AS SPECIFIED	Meets	As Specified
ENGINE C	ECM SET TO MAXIMUM OF 55 MPH	AS SPECIFIED	Meets	As Specified
TRANSMISSION	5 SPEED DIRECT OR ALLISON 2000	ALLISON 2000	Allison 2000 only - 5-speed direct not available	Allison 2000

DRIVE SHAFT	GUARDS ON ALL SHAFTS	AS SPECIFIED	Meets	As Specified
FUEL TANK	60 GALLON	AS SPECIFIED	Exceeds - 100 Gallon	65 gallon
AIR CLEANER	DRY ELEMENT TYPE WITH RESTRICTION GAUGE	AS SPECIFIED	Meets	As Specified
OIL FILTER	1-QT. PER MANUFACTURER	AS SPECIFIED	Meets	As Specified
BATTERY	750CCA	(2) 760 CCA EACH	Exceeds - 2800 CCA	1100 CCA
ALTERNATOR	160 AMP; 4 GA. CHARGING AND GROUND CIRCUITS	LEECE NEVILLE 160 LARGE CASE	Exceeds - 175 Amp	As Specified
HORN	PER FMVSS	AS SPECIFIED	Meets	As Specified
LIGHTS	PER FMVSS AND DAYTIME RUNNING LIGHTS	AS SPECIFIED	Meets	As Specified
GAUGES	SPEEDOMETER, TACHOMETER, FUEL, OIL PRESSURE, COOLANT TEMP.; & VOLTMETER	AS SPECIFIED	Exceeds - plus digital clock	As Specified
COLOR	FRAME, WHEELS, BUMPER, RAILS AND LETTERING – BLACK - - BACK OF MIRRORS, NON GLOSS BLACK -BALANCE YELLOW	AS SPECIFIED	Meets	As Specified

Type C - 64, Passenger Conventional Hydraulic Brake

Feature	Minimum Specification	Thomas	Bluebird	International
GVWR	26,000	26000 LB.	Exceeds	As Specified
WHEELS	10-STUD DISC – 22.5” X 7.5”	AS SPECIFIED	Meets	As Specified
TIRES	10R22.5 – 12 PLY	AS SPECIFIED	Meets	As Specified
FRAME	ONE PIECE SIDE MEMBER – FRONT TOW HOOKS	AS SPECIFIED	Meets	As Specified
STEERING	POWER – MEETING VIRGINIA SPECIFICATIONS	AS SPECIFIED	Meets	As Specified
FRONT BUMPER	3/16” STEEL	5/16" X 3" X 10"	Exceeds - 1/4" Steel	1/4" steel
FRONT AXLE	10,000 LB.	AS SPECIFIED	Exceeds - 12,000 LB	As Specified
REAR AXLE	17,500LB.	AS SPECIFIED	Exceeds - 21,000 LB	As Specified
BRAKES	HYDRAULIC DISC W/ ABS	AS SPECIFIED	Meets	As Specified
SUSPENSION A	FRT. SPRINGS 5,000 LB. EA. @ GRD.	AS SPECIFIED	Meets	As Specified
SUSPENSION B	REAR SPRINGS 8,750LB. EA. @ GRD.	AS SPECIFIED	Exceeds - 10,500 LB	9,900 lb each
SUSPENSION C	FRT. AND REAR SHOCK ABSORBERS	AS SPECIFIED	Meets	As Specified
ENGINE A	175 H.P.	MERCEDES MBE 906 190 HP IN LINE 6	Exceeds - 190 HP	As Specified
ENGINE B	ELECTRONIC HAND THROTTLE	AS SPECIFIED	Meets	As Specified
ENGINE C	ECM SET TO MAXIMUM OF 55 MPH	AS SPECIFIED	Meets	As Specified
TRANSMISSION	ALISSON 2400	AS SPECIFIED	Meets	As Specified

DRIVE SHAFT	GUARDS ON ALL SHAFTS	AS SPECIFIED	Meets	As Specified
FUEL TANK	60 GALLON	AS SPECIFIED	Exceeds - 100 Gallon	65 Gallon
AIR CLEANER	DRY ELEMENT TYPE WITH RESTRICTION GAUGE	AS SPECIFIED	Meets	As Specified
OIL FILTER	1-QT. PER MANUFACTURER	AS SPECIFIED	Meets	As Specified
BATTERY	750CCA	(2) 760 CCA EACH	Exceeds - 2800 CCA	1100 CCA
ALTERNATOR	160 AMP; 4 GA. CHARGING AND GROUND CIRCUITS	LEECE NEVILLE 160 AMP LARGE CASE	Exceeds - 175 Amp	As Specified
HORN	PER FMVSS	AS SPECIFIED	Meets	As Specified
LIGHTS	PER FMVSS AND DAYTIME RUNNING LIGHTS	AS SPECIFIED	Meets	As Specified
GAUGES	SPEEDOMETER, TACHOMETER, FUEL, OIL PRESSURE, COOLANT TEMP.; & VOLTMETER	AS SPECIFIED	Exceeds - plus digital clock	As Specified
COLOR	FRAME, WHEELS, BUMPER, RAILS AND LETTERING – BLACK - - BACK OF MIRRORS, NON GLOSS BLACK -BALANCE YELLOW	AS SPECIFIED	Meets	As Specified

Type D - 66, Passenger Engine Front

Feature	Minimum Specification	Thomas	Bluebird	International
GVWR	29,000	30000 LB.	Meets	29,500
WHEELS	10-STUD DISC – 22.5” X 7.5”	AS SPECIFIED	Meets	10 stud 22.5"x8.25"
TIRES	11R22.5 – 14 PLY	AS SPECIFIED	Meets	As Specified
FRAME	ONE PIECE SIDE MEMBER – FRONT TOW HOOKS	AS SPECIFIED	Meets	As Specified
STEERING	POWER – MEETING VIRGINIA SPECIFICATIONS	AS SPECIFIED	Meets	As Specified
FRONT BUMPER	3/16” STEEL	1/4" X 3" X 10"	Exceeds - 1/4" Steel	1/4" steel
FRONT AXLE	12,000 LB.	13200 LB.	Exceeds - 13,200 LB	As Specified
REAR AXLE	17,000 LB.	19000 LB.	Exceeds - 19,000 LB	17,500
BRAKES	FULL AIR– 13.2 CF COMP– 16.5” X 5” FRT– 16.5” X 7” REAR–AIR DRYER	AS SPECIFIED	Meets	As Specified
SUSPENSION A	FRT. SPRINGS 6,000 LB. EA. @ GRD.	6600 LB.	Exceeds - 7000 LB	As Specified
SUSPENSION B	REAR SPRINGS 8,500 LB. EA. @ GRD.	9500 LB.	Exceeds - 9500 LB	9250 lb each
SUSPENSION C	FRT. AND REAR SHOCK ABSORBERS	AS SPECIFIED	Meets	As Specified
ENGINE A	190 H.P.	CUMMINS ISB 215 HP IN LINE 6	Meets	210 h.p.
ENGINE B	ELECTRONIC HAND THROTTLE	AS SPECIFIED	Meets	As Specified
ENGINE C	ECM SET TO MAXIMUM OF 55 MPH	AS SPECIFIED	Meets	As Specified
TRANSMISSION	ALLISON 2000	AS SPECIFIED	Meets	As Specified
DRIVE SHAFT	GUARDS ON ALL SHAFTS	AS SPECIFIED	Meets	As Specified
FUEL TANK	60 GALLON	AS SPECIFIED	Meets	65 gallon
AIR CLEANER	DRY ELEMENT TYPE WITH RESTRICTION GAUGE	AS SPECIFIED	Meets	As Specified
OIL FILTER	1-QT. PER MANUFACTURER	AS SPECIFIED	Meets	As Specified

BATTERY	750CCA	(2) 760 CCA EACH	Exceeds - 2800 CCA	1100 CCA
ALTERNATOR	160AMP; 4 GA. CHARGING AND GROUND CIRCUITS	175 AMP LEECE NEVILLE LARGE CASE	Meets	As Specified
HORN	PER FMVSS	AS SPECIFIED	Meets	As Specified
LIGHTS	PER FMVSS AND DAYTIME RUNNING LIGHTS	AS SPECIFIED	Meets	As Specified
GAUGES	SPEEDOMETER, TACHOMETER, FUEL, OIL PRESSURE, COOLANT TEMP.; & VOLTMETER	AS SPECIFIED	Meets	As Specified
COLOR	FRAME, WHEELS, BUMPER, RAILS AND LETTERING – BLACK - - BACK OF MIRRORS, NON GLOSS BLACK -BALANCE YELLOW	AS SPECIFIED	Meets	As Specified

Type D - 66, Passenger Engine Rear

Feature	Minimum Specification	Thomas	Bluebird	International
GVWR	29,800	32200 lb.	Meets	30,000
WHEELS	10-STUD DISC – 22.5” X 7.5”	AS SPECIFIED	Meets	10 Stud 22.5"x8.25"
TIRES	11R22.5 – 14 PLY	AS SPECIFIED	Meets	As Specified
FRAME	ONE PIECE SIDE MEMBER – FRONT TOW HOOKS	AS SPECIFIED	Meets	As Specified
STEERING	POWER – MEETING VIRGINIA SPECIFICATIONS	AS SPECIFIED	Meets	As Specified
FRONT BUMPER	3/16” STEEL	1/4" X 3 1/2" X 10	Exceeds 1/4"	1/4" steel
FRONT AXLE	10,800 LB.	13200 LB.	Exceeds 12000	12,000 lb
REAR AXLE	19,000 LB.	AS SPECIFIED	Meets	19,800 lb
BRAKES	FULL AIR– 13.2 CF COMP– 16.5” X 5” FRT– 16.5” X 7” REAR–AIR DRYER	AS SPECIFIED	Meets	As Specified
SUSPENSION A	FRT. SPRINGS 5,400 LB. EA. @ GRD.	6600 LB.	Exceeds 7000	6,000 lb each
SUSPENSION B	REAR SPRINGS 9,500 LB. EA. @ GRD.	AS SPECIFIED	Exceeds 11500	10,500 lbs each
SUSPENSION C	FRT. AND REAR SHOCK ABSORBERS	AS SPECIFIED	Meets	As Specified
ENGINE A	190 H.P.	190 HP MERCEDES MBE 906 IN LINE 6	Meets	200 h.p.
ENGINE B	ELECTRONIC HAND THROTTLE	AS SPECIFIED	Meets	As Specified
ENGINE C	ECM SET TO MAXIMUM OF 55 MPH	AS SPECIFIED	Meets	As Specified
TRANSMISSION	ALLISON 2000	AS SPECIFIED	Meets	As Specified
DRIVE SHAFT	GUARDS ON ALL SHAFTS	AS SPECIFIED	Meets	As Specified



FUEL TANK	60 GALLON	AS SPECIFIED	Meets	65 Gallon
AIR CLEANER	DRY ELEMENT TYPE WITH RESTRICTION GAUGE	AS SPECIFIED	Meets	As Specified
OIL FILTER	1-QT. PER MANUFACTURER	AS SPECIFIED	Meets	As Specified
BATTERY	750CCA	(2) 760 CCA EACH	Exceeds 2800 CCA	1100 CCA
ALTERNATOR	160 AMP; 4 GA. CHARGING AND GROUND CIRCUITS	175 AMP LEECE NEVILLE LARGE CASE	Meets	As Specified
HORN	PER FMVSS	AS SPECIFIED	Meets	As Specified
LIGHTS	PER FMVSS AND DAYTIME RUNNING LIGHTS	AS SPECIFIED	Meets	As Specified
GAUGES	SPEEDOMETER, TACHOMETER, FUEL, OIL PRESSURE, COOLANT TEMP.; & VOLTMETER	AS SPECIFIED	Meets	As Specified
COLOR	FRAME, WHEELS, BUMPER, RAILS AND LETTERING – BLACK - - BACK OF MIRRORS, NON GLOSS BLACK -BALANCE YELLOW	AS SPECIFIED	Meets	As Specified

Type D - 72, Passenger Engine Front

Feature	Minimum Specification	Thomas	Bluebird	International
GVWR	29,000	30000 LB.	Meets	29,500
WHEELS	10-STUD DISC – 22.5” X 7.5”	AS SPECIFIED	Meets	10 Stud 22.5"x8.25"
TIRES	11R22.5 – 14 PLY	AS SPECIFIED	Meets	As Specified
FRAME	ONE PIECE SIDE MEMBER – FRONT TOW HOOKS	AS SPECIFIED	Meets	As Specified
STEERING	POWER – MEETING VIRGINIA SPECIFICATIONS	AS SPECIFIED	Meets	As Specified
FRONT BUMPER	3/16” STEEL	1/4" X 3" X 10"	Exceeds - 1/4" steel	1/4" steel
FRONT AXLE	12,000 LB.	13200 LB.	Exceeds - 13,200 LB	As Specified
REAR AXLE	17,000 LB.	19000 LB.	Exceeds - 19,000 LB	17,500 lb
BRAKES	FULL AIR– 13.2 CF COMP– 16.5” X 5” FRT– 16.5” X 7” REAR–AIR DRYER	AS SPECIFIED	Meets	As Specified
SUSPENSION A	FRT. SPRINGS 6,000 LB. EA. @ GRD.	6600 LB.	Exceeds - 7000 LB	As Specified
SUSPENSION B	REAR SPRINGS 8,500 LB. EA. @ GRD.	9500 LB.	Exceeds - 9500 LB	9,250 lb each
SUSPENSION C	FRT. AND REAR SHOCK ABSORBERS	AS SPECIFIED	Meets	As Specified
ENGINE A	190 H.P.	CUMMINS ISB 215 HP IN LINE 6	Meets	210 h.p.
ENGINE B	ELECTRONIC HAND THROTTLE	AS SPECIFIED	Meets	As Specified
ENGINE C	ECM SET TO MAXIMUM OF 55 MPH	AS SPECIFIED	Meets	As Specified
TRANSMISSION	ALLISON 2000	AS SPECIFIED	Meets	As Specified
DRIVE SHAFT	GUARDS ON ALL SHAFTS	AS SPECIFIED	Meets	As Specified

FUEL TANK	60 GALLON	AS SPECIFIED	Meets	65 Gallon
AIR CLEANER	DRY ELEMENT TYPE WITH RESTRICTION GAUGE	AS SPECIFIED	Meets	As Specified
OIL FILTER	1-QT. PER MANUFACTURER	AS SPECIFIED	Meets	As Specified
BATTERY	750CCA	(2) 760 CCA EACH	Meets	1100 CCA
ALTERNATOR	160 AMP; 4 GA. CHARGING AND GROUND CIRCUITS	175 AMP LEECE NEVILLE LARGE CASE	Exceeds 2800CCA	As Specified
HORN	PER FMVSS	AS SPECIFIED	Meets	As Specified
LIGHTS	PER FMVSS AND DAYTIME RUNNING LIGHTS	AS SPECIFIED	Meets	As Specified
GAUGES	SPEEDOMETER, TACHOMETER, FUEL, OIL PRESSURE, COOLANT TEMP.; & VOLTMETER	AS SPECIFIED	Meets	As Specified
COLOR	FRAME, WHEELS, BUMPER, RAILS AND LETTERING – BLACK - - BACK OF MIRRORS, NON GLOSS BLACK -BALANCE YELLOW	AS SPECIFIED	Meets	As Specified

Type D - 72, Passenger Engine Rear

Feature	Minimum Specification	Thomas	Bluebird	International
GVWR	29,800	32200 LB.	Meets	30,000
WHEELS	10-STUD DISC – 22.5” X 7.5”	AS SPECIFIED	Meets	10 Stud 22.5"x8.25"
TIRES	11R22.5 – 14 PLY	AS SPECIFIED	Meets	As Specified
FRAME	ONE PIECE SIDE MEMBER – FRONT TOW HOOKS	AS SPECIFIED	Meets	As Specified
STEERING	POWER – MEETING VIRGINIA SPECIFICATIONS	AS SPECIFIED	Meets	As Specified
FRONT BUMPER	3/16” STEEL	1/4" X 3" X 10"	Exceeds 1/4"	1/4" steel
FRONT AXLE	10,800 LB.	13200 LB	Exceeds 12000	12,000 lb
REAR AXLE	19,000 LB.	AS SPECIFIED	Meets	19,800 lb
BRAKES	FULL AIR– 13.2 CF COMP– 16.5” X 5” FRT– 16.5” X 7” REAR–AIR DRYER	AS SPECIFIED	Meets	As Specified
SUSPENSION A	FRT. SPRINGS 5,400 LB. EA. @ GRD.	6600 LB	Exceeds 7000	6,000 lb each
SUSPENSION B	REAR SPRINGS 9,500 LB. EA. @ GRD.	AS SPECIFIED	Exceeds 11500	10,500 lb each
SUSPENSION C	FRT. AND REAR SHOCK ABSORBERS	AS SPECIFIED	Meets	As Specified
ENGINE A	190 H.P.	MERCEDES MBE 906 190 IN LINE 6	Meets	200 h.p.
ENGINE B	ELECTRONIC HAND THROTTLE	AS SPECIFIED	Meets	As Specified
ENGINE C	ECM SET TO MAXIMUM OF 55 MPH	AS SPECIFIED	Meets	As Specified
TRANSMISSION	ALLISON 2000	AS SPECIFIED	Meets	As Specified
DRIVE SHAFT	GUARDS ON ALL SHAFTS	AS SPECIFIED	Meets	As Specified

FUEL TANK	60 GALLON	AS SPECIFIED	Meets	65 Gallon
AIR CLEANER	DRY ELEMENT TYPE WITH RESTRICTION GAUGE	AS SPECIFIED	Meets	As Specified
OIL FILTER	1-QT. PER MANUFACTURER	AS SPECIFIED	Meets	As Specified
BATTERY	750CCA	(2) 760 CCA EACH	Exceeds 2800 CCA	1100 CCA
ALTERNATOR	160 AMP; 4 GA. CHARGING AND GROUND CIRCUITS	175 AMP LEECE NEVILLE LARGE CASE	Meets	As Specified
HORN	PER FMVSS	AS SPECIFIED	Meets	As Specified
LIGHTS	PER FMVSS AND DAYTIME RUNNING LIGHTS	AS SPECIFIED	Meets	As Specified
GAUGES	SPEEDOMETER, TACHOMETER, FUEL, OIL PRESSURE, COOLANT TEMP.; & VOLTMETER	AS SPECIFIED	Meets	As Specified
COLOR	FRAME, WHEELS, BUMPER, RAILS AND LETTERING – BLACK - - BACK OF MIRRORS, NON GLOSS BLACK -BALANCE YELLOW	AS SPECIFIED	Meets	As Specified

**Type D - 78, Passenger Engine Front**

Feature	Minimum Specification	Thomas	Bluebird	International
GVWR	32,000	32200 LB.	Meets	As Specified
WHEELS	10-STUD DISC – 22.5” X 8.25”	AS SPECIFIED	Meets	As Specified
TIRES	11R22.5 – 14 PLY	AS SPECIFIED	Meets	As Specified
FRAME	ONE PIECE SIDE MEMBER – FRONT TOW HOOKS	AS SPECIFIED	Meets	As Specified
STEERING	POWER – MEETING VIRGINIA SPECIFICATIONS	AS SPECIFIED	Meets	As Specified
FRONT BUMPER	3/16” STEEL	1/4" X 3" X 10"	1/4" Steel	1/4" steel
FRONT AXLE	13,000 LB.	13200 LB.	Meets	14,000 lb
REAR AXLE	19,000LB.	AS SPECIFIED	Meets	19,800 lb
BRAKES	FULL AIR– 13.2 CF COMP– 16.5” X 5” FRT– 16.5” X 7” REAR–AIR DRYER	AS SPECIFIED	Meets	As Specified
SUSPENSION A	FRT. SPRINGS 6,500 LB. EA. @ GRD.	6600 LB.	Exceeds - 7000 LB	7,000 lb each
SUSPENSION B	REAR SPRINGS 9,500 LB. EA. @ GRD.	AS SPECIFIED	Meets	10,500 lb each
SUSPENSION C	FRT. AND REAR SHOCK ABSORBERS	AS SPECIFIED	Meets	As Specified
ENGINE A	210 H.P.	CAT C7 210 HP IN LINE 6	Meets	As Specified
ENGINE B	ELECTRONIC HAND THROTTLE	AS SPECIFIED	Meets	As Specified
ENGINE C	ECM SET TO MAXIMUM OF 55 MPH	AS SPECIFIED	Meets	As Specified
TRANSMISSION	ALLISON MD3060	AS SPECIFIED	Meets	As Specified
DRIVE SHAFT	GUARDS ON ALL SHAFTS	AS SPECIFIED	Meets	As Specified
FUEL TANK	60 GALLON	AS SPECIFIED	Meets	65 Gallon
AIR CLEANER	DRY ELEMENT TYPE WITH RESTRICTION GAUGE	AS SPECIFIED	Meets	As Specified

OIL FILTER	1-QT. PER MANUFACTURER	AS SPECIFIED	Meets	As Specified
BATTERY	750CCA	(2) 760 CCA EACH	Exceeds - 2800 CCA	7100 CCA
ALTERNATOR	160AMP; 4 GA. CHARGING AND GROUND CIRCUITS	175 AMP LEECE NEVILLE LARGE CASE	Meets	As Specified
HORN	PER FMVSS	AS SPECIFIED	Meets	As Specified
LIGHTS	PER FMVSS AND DAYTIME RUNNING LIGHTS	AS SPECIFIED	Meets	As Specified
GAUGES	SPEEDOMETER, TACHOMETER, FUEL, OIL PRESSURE, COOLANT TEMP.; & VOLTMETER	AS SPECIFIED	Meets	As Specified
COLOR	FRAME, WHEELS, BUMPER, RAILS AND LETTERING – BLACK - - BACK OF MIRRORS, NON GLOSS BLACK -BALANCE YELLOW	AS SPECIFIED	Meets	As Specified

Type D - 78, Passenger Engine Rear

Feature	Minimum Specification	Thomas	Bluebird	International
GVWR	31,000	33280 LB	Meets	31,800
WHEELS	10-STUD DISC – 22.5” X 7.5”	10 STUD 22.5" X 8.25"	Meets	10 Stud 22.5x8.25
TIRES	11R22.5 – 14 PLY	AS SPECIFIED	Meets	As Specified
FRAME	ONE PIECE SIDE MEMBER – FRONT TOW HOOKS	AS SPECIFIED	Meets	As Specified
STEERING	POWER – MEETING VIRGINIA SPECIFICATIONS	AS SPECIFIED	Meets	As Specified
FRONT BUMPER	3/16” STEEL	1/4" X 3" X 10"	Exceeds 1/4"	1/4" Steel
FRONT AXLE	12,000 LB.	13200 LB	Meets	As Specified
REAR AXLE	19,000 LB.	23000 LB	Exceeds 21000	19,800 lb
BRAKES	FULL AIR– 13.2 CF COMP– 16.5” X 5” FRT– 16.5” X 7” REAR–AIR DRYER	16.5" X 6" FRT-16.5" X 8 5/8" REAR	Meets	As Specified
SUSPENSION A	FRT. SPRINGS 6,000 LB. EA. @ GRD.	6600 LB.	Exceeds 7000	As Specified
SUSPENSION B	REAR SPRINGS 9,500 LB. EA. @ GRD.	11500 LB	Exceeds 11500	Air Ride 21,000 lb
SUSPENSION C	FRT. AND REAR SHOCK ABSORBERS	AS SPECIFIED	Meets	As Specified
ENGINE A	210 H.P.	MERCEDES MBE 906 210 HP IN LINE 6	Exceeds 230 HP	As Specified
ENGINE B	ELECTRONIC HAND THROTTLE	AS SPECIFIED	Meets	As Specified
ENGINE C	ECM SET TO MAXIMUM OF 55 MPH	AS SPECIFIED	Meets	As Specified
TRANSMISSION	ALLISON MD3060	AS SPECIFIED	Meets	As Specified
DRIVE SHAFT	GUARDS ON ALL SHAFTS	AS SPECIFIED	Meets	As Specified



FUEL TANK	60 GALLON	AS SPECIFIED	Meets	65 gallon
AIR CLEANER	DRY ELEMENT TYPE WITH RESTRICTION GAUGE	AS SPECIFIED	Meets	As Specified
OIL FILTER	1-QT. PER MANUFACTURER	AS SPECIFIED	Meets	As Specified
BATTERY	750CCA	(2) 760 CCA EACH	Exceeds 2800 CCA	1100 CCA
ALTERNATOR	160 AMP; 4 GA. CHARGING AND GROUND CIRCUITS	175 AMP LEECE NEVILLE LARGE CASE	Meets	As Specified
HORN	PER FMVSS	AS SPECIFIED	Meets	As Specified
LIGHTS	PER FMVSS AND DAYTIME RUNNING LIGHTS	AS SPECIFIED	Meets	As Specified
GAUGES	SPEEDOMETER, TACHOMETER, FUEL, OIL PRESSURE, COOLANT TEMP.; & VOLTMETER	AS SPECIFIED	Meets	As Specified
COLOR	FRAME, WHEELS, BUMPER, RAILS AND LETTERING – BLACK - - BACK OF MIRRORS, NON GLOSS BLACK -BALANCE YELLOW	AS SPECIFIED	Meets	As Specified

Type D - 84, Passenger Engine Front

Feature	Minimum Specification	Thomas	Bluebird	International
GVWR	32,000	33200 LB.	Meets	As Specified
WHEELS	10-STUD DISC – 22.5” X 8.25”	AS SPECIFIED	Meets	As Specified
TIRES	11R22.5 – 14 PLY	AS SPECIFIED	Meets	As Specified
FRAME	ONE PIECE SIDE MEMBER – FRONT TOW HOOKS	AS SPECIFIED	Meets	As Specified
STEERING	POWER – MEETING VIRGINIA SPECIFICATIONS	AS SPECIFIED	Meets	As Specified
FRONT BUMPER	3/16” STEEL	1/4" X 3" X 10"	1/4" Steel	1/4" steel
FRONT AXLE	13,000 LB.	13200 LB.	Exceeds - 13,200 LB	14,000 lb
REAR AXLE	19,000LB.	23000 LB.	Meets	19,800 lb
BRAKES	FULL AIR– 13.2 CF COMP– 16.5” X 5” FRT– 16.5” X 7” REAR–AIR DRYER	AS SPECIFIED	Meets	As Specified
SUSPENSION A	FRT. SPRINGS 6,500 LB. EA. @ GRD.	6600 LB.	Exceeds - 7000 LB	7,000 lb each
SUSPENSION B	REAR SPRINGS 9,500 LB. EA. @ GRD.	11500 LB.	Meets	10,500 lb each
SUSPENSION C	FRT. AND REAR SHOCK ABSORBERS	AS SPECIFIED	Meets	As Specified
ENGINE A	210 H.P.	CAT C7 210 HP IN LINE 6	Exceeds 230 HP	As Specified
ENGINE B	ELECTRONIC HAND THROTTLE	AS SPECIFIED	Meets	As Specified
ENGINE C	ECM SET TO MAXIMUM OF 55 MPH	AS SPECIFIED	Meets	As Specified
TRANSMISSION	ALLISON MD3060	AS SPECIFIED	Meets	As Specified
DRIVE SHAFT	GUARDS ON ALL SHAFTS	AS SPECIFIED	Meets	As Specified
FUEL TANK	60 GALLON	AS SPECIFIED	Meets	65 Gallon
AIR CLEANER	DRY ELEMENT TYPE WITH RESTRICTION GAUGE	AS SPECIFIED	Meets	As Specified

OIL FILTER	1-QT. PER MANUFACTURER	AS SPECIFIED	Meets	As Specified
BATTERY	750CCA	(2) 760 CCA EACH	Exceeds - 2800 CCA	1100 CCA
ALTERNATOR	160 AMP; 4 GA. CHARGING AND GROUND CIRCUITS	175 AMP LEECE NEVILLE LARGE CASE	Meets	As Specified
HORN	PER FMVSS	AS SPECIFIED	Meets	As Specified
LIGHTS	PER FMVSS AND DAYTIME RUNNING LIGHTS	AS SPECIFIED	Meets	As Specified
GAUGES	SPEEDOMETER, TACHOMETER, FUEL, OIL PRESSURE, COOLANT TEMP.; & VOLTMETER	AS SPECIFIED	Meets	As Specified
COLOR	FRAME, WHEELS, BUMPER, RAILS AND LETTERING – BLACK - - BACK OF MIRRORS, NON GLOSS BLACK -BALANCE YELLOW	AS SPECIFIED	Meets	As Specified

Type D - 84, Passenger Engine Rear

Feature	Minimum Specification	Thomas	Bluebird	International
GVWR	31,000	33280 LB.	Meets	31,800
WHEELS	10-STUD DISC – 22.5” X 8.25”	AS SPECIFIED	Meets	10 Stud 22.5 x 8.25
TIRES	11R22.5 – 14 PLY	AS SPECIFIED	Meets	As Specified
FRAME	ONE PIECE SIDE MEMBER – FRONT TOW HOOKS	AS SPECIFIED	Meets	As Specified
STEERING	POWER – MEETING VIRGINIA SPECIFICATIONS	AS SPECIFIED	Meets	As Specified
FRONT BUMPER	3/16” STEEL	1/4" X 3" X 10"	Exceeds 1/4"	1/4" steel
FRONT AXLE	12,000 LB.	13200 LB	Meets	As Specified
REAR AXLE	19,000 LB.	23000 LB.	Exceeds- 23000	19,800 lb
BRAKES	FULL AIR– 13.2 CF COMP– 16.5” X 5” FRT– 16.5” X 7” REAR–AIR DRYER	16.5" X 6" FRT-16.5" X 8 5/8" REAR	Meets	As Specified
SUSPENSION A	FRT. SPRINGS 6,000 LB. EA. @ GRD.	6600 LB.	Exceeds - 7000	As Specified
SUSPENSION B	REAR SPRINGS 9,500 LB. EA. @ GRD.	11500 LB.	Exceeds - 11500	21,000 lb Air Ride
SUSPENSION C	FRT. AND REAR SHOCK ABSORBERS	AS SPECIFIED	Meets	As Specified
ENGINE A	210 H.P.	MERCEDES MBE 906 210 HP IN LINE 6	Exceeds 230 HP	As Specified
ENGINE B	ELECTRONIC HAND THROTTLE	AS SPECIFIED	Meets	As Specified
ENGINE C	ECM SET TO MAXIMUM OF 55 MPH	AS SPECIFIED	Meets	As Specified
TRANSMISSION	ALLISON MD3060	AS SPECIFIED	Meets	As Specified
DRIVE SHAFT	GUARDS ON ALL SHAFTS	AS SPECIFIED	Meets	As Specified
FUEL TANK	60 GALLON	AS SPECIFIED	Meets	65 gallon
AIR CLEANER	DRY ELEMENT TYPE WITH RESTRICTION GAUGE	AS SPECIFIED	Meets	As Specified
OIL FILTER	1-QT. PER MANUFACTURER	AS SPECIFIED	Meets	As Specified

BATTERY	750CCA	(2) 760 CCA EACH	Exceeds 2800 CCA	1100 CCA
ALTERNATOR	160AMP; 4 GA. CHARGING AND GROUND CIRCUITS	175 AMP LEECE NEVILLE LARGE CASE	Meets	As Specified
HORN	PER FMVSS	AS SPECIFIED	Meets	As Specified
LIGHTS	PER FMVSS AND DAYTIME RUNNING LIGHTS	AS SPECIFIED	Meets	As Specified
GAUGES	SPEEDOMETER, TACHOMETER, FUEL, OIL PRESSURE, COOLANT TEMP.; & VOLTMETER	AS SPECIFIED	Meets	As Specified
COLOR	FRAME, WHEELS, BUMPER, RAILS AND LETTERING – BLACK - - BACK OF MIRRORS, NON GLOSS BLACK -BALANCE YELLOW	AS SPECIFIED	Meets	As Specified